Printing date 23.08.2023

Revision: 23.08.2023

undertaking	
· 1.1 Product id	entifier
· Trade name: <u>L</u>	DELTA 2000
• Sector of Use SU3 Industria	
• <i>Manufacturer/</i> Concept Chem Felt Court, Win	icals & Coatings Ltd. dmill Lane Ind.Estate ester M34 3RB England 1 335 0213
Concept Chem Ltd. Felt Court, Manchester M3 Tel 00 44 (0)16 Fax 00 44 (0)10 kenny@concep 1.4 Emergenc	61 335 0214 htchemicals.com / telephone number: hours GMT 09.00 - 17.00 1 335 0213
· 2.1 Classificat	Hazards identification ion of the substance or mixture according to Regulation (EC) No 1272/2008
· 2.1 Classificat	ion of the substance or mixture
2.1 Classification	ion of the substance or mixture
 2.1 Classification Classification Skin Irrit. 2 H3 Eye Irrit. 2 H3 2.2 Label elemi Labelling accordination 	ion of the substance or mixture according to Regulation (EC) No 1272/2008 15 Causes skin irritation. 19 Causes serious eye irritation. ents ording to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP regulation. rams GHS07
 2.1 Classification Classification Classification Classification Skin Irrit. 2 H3 Eye Irrit. 2 H3 Eye Irrit. 2 H3 2.2 Label eleming according Labelling according Hazard pictog Signal word W Hazard-determing Sodium Hydrox Hazard stateming H315 Causes signal H319 Causes signal Precautionary P280 P302+P352 	ion of the substance or mixture according to Regulation (EC) No 1272/2008 15 Causes skin irritation. 19 Causes serious eye irritation. The tests Tording to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP regulation. trams GHS07 farning hining components of labelling: ide tents ikin irritation. iserious eye irritation.
 2.1 Classification Classification Classification Classification Skin Irrit. 2 H3 Eye Irrit. 2 H3 Eye Irrit. 2 H3 2.2 Label elem Labelling according Cabelling according Hazard pictog Signal word W Hazard-determ Sodium Hydrox Hazard statem H315 Causes s H319 Causes s Precautionary P280 P302+P352 P305+P351+P3 P332+P313 	ion of the substance or mixture according to Regulation (EC) No 1272/2008 15 Causes skin irritation. 19 Causes serious eye irritation. ents ording to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP regulation. rams GHS07 /arning hining components of labelling: ide ents kin irritation. rerious eye irritation. statements Wear eye protection / face protection. IF ON SKIN: Wash with plenty of water. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.

Printing date 23.08.2023

Revision: 23.08.2023

Trade name: DELTA 2000

- [•] 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 5064-31-3 EINECS: 225-768-6 Reg.nr.: 01-2119519239-36- 0000	trisodium nitrilotriacetate Carc. 2, H351 Met. Corr.1, H290 Acute Tox. 4, H302; Eye Irrit. 2, H319	2.5-5%
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27- 0158	Sodium Hydroxide ♦ Met. Corr.1, H290; Skin Corr. 1A, H314	0-2.5%
 Ingredients according to determine regulation 648/2004/EC 	ergents	
NITA (nitrilatriagatic agid) and	calta tharaaf nan iania aurfaatanta amphataria aur	faatanta <50/

NTA (nitrilotriacetic acid) and salts thereof, non-ionic surfactants, amphoteric surfactants, <5% cationic surfactants, colouring agent

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation In case of unconsciousness place patient stably in side position for transportation.

- After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- [·] 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

(Contd. on page 3)

(Contd. of page 1)

GB

Printing date 23.08.2023

Revision: 23.08.2023

(Contd. of page 2)

Trade name: DELTA 2000

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Risk of serious damage to eyes.

Prevent formation of vapours

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 Sodium Hydroxide

WEL Short-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

- [•] 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Rubber gloves

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB

Printing date 23.08.2023

Revision: 23.08.2023

(Contd. of page 3)

Trade name: DELTA 2000

· Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: Tightly sealed goggles.

SECTION 9: Physical and chemical properties

. 0.1 Information on basis physical and	abamical proportion
• 9.1 Information on basic physical and • General Information	chemical properties
· Appearance:	
Form:	Liquid
Colour:	Red
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	13.7
· Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range	e: 100 °C
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.055 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Water:	90.5 %
[.] 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 5)

GB

Printing date 23.08.2023

Revision: 23.08.2023

(Contd. of page 4)

Trade name: DELTA 2000

- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water or water course.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pHvalues. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · **Recommendation** Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 6)

Printing date 23.08.2023

Revision: 23.08.2023

Trade name: DELTA 2000

(Contd. of page 5)

14.1 UN-Number ADR, IMDG, IATA	UN1719
14.2 UN proper shipping name ADR IMDG, IATA	1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUI HYDROXIDE, trisodium nitrilotriacetate) CAUSTIC ALKALI LIQUID, N.O.S. (SODIUI HYDROXIDE, trisodium nitrilotriacetate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	<i>III</i>
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A, S-B (SGG18) Alkalis A SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
<i>ADR Limited quantities (LQ) Excepted quantities (EQ)</i>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
Transport category Tunnel restriction code	3 E
<i>IMDG Limited quantities (LQ) Excepted quantities (EQ)</i>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S (SODIUM HYDROXIDE, TRISODIUI NITRILOTRIACETATE), 8, III

(Contd. on page 7)

Printing date 23.08.2023

Revision: 23.08.2023

Trade name: DELTA 2000

(Contd. of page 6)

 15.1 Safety, he mixture 	ealth and environmental regulations/legislation specific for the substance
· Labelling acco	rding to Regulation (EC) No 1272/2008
	lassified and labelled according to the GB CLP regulation.
 Hazard pictogi Signal word W 	
0	-
 Hazard-determ Sodium Hydrox 	ining components of labelling:
· Hazard statem	
H315 Causes s	
	erious eye irritation.
• Precautionary P280	statements Wear eye protection / face protection.
P302+P352	
	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove cont
	lenses, if present and easy to do. Continue rinsing.
P332+P313 P362+P364	If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
National regula	
•	
	lass: Water hazard class 2 (Self-assessment): hazardous for water. safety assessment: A Chemical Safety Assessment has been carried out.
	······,
	. Other information
	: Other information
This informatior	n is based on our present knowledge. However, this shall not constitute a guaran
This informatior for any specific	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship.
This informatior for any specific • Relevant phras	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. :es
This informatior for any specific • Relevant phras	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. ses prrosive to metals.
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. ses prrosive to metals. 'swallowed. evere skin burns and eye damage.
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. ses prrosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation.
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. ses prrosive to metals. 'swallowed. evere skin burns and eye damage.
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecter	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. ses prrosive to metals. 'swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. suing SDS: Technical Department.
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecte • Department iss • Contact: Mr N	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. ses prrosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. suing SDS: Technical Department. Wardlaw
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecte • Department iss • Contact: Mr N • Abbreviations	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. ses prrosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. suing SDS: Technical Department. Wardlaw and acronyms:
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecte • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatin the International Ca	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses prosive to metals. Swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. Suing SDS: Technical Department. Wardlaw and acronyms: au transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road)
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecte • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatii the International Ca IMDG: International	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses perrosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. Suing SDS: Technical Department. Wardlaw and acronyms: au transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecte • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatin the International Ca IMDG: International GHS: Globally Harr	a is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses prosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. Suing SDS: Technical Department. Wardlaw and acronyms: a utransport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecter • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatii the International Ca IMDG: International GHS: Globally Harr EINECS: European	a is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses prosive to metals. Swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. Suing SDS: Technical Department. Wardlaw and acronyms: a u transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecter • Department iss • Contact: Mr N • Abbreviations ADR: Accord relating the International Ca IMDG: International GHS: Globally Harr EINECS: European ELINCS: European CAS: Chemical Abs	a is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses prosive to metals. Swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. Suing SDS: Technical Department. Wardlaw and acronyms: Tau transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society)
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspected • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatii the International Ca IMDG: International GHS: Globally Harr EINECS: European ELINCS: European CAS: Chemical Abs PBT: Persistent, Bi	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses prosive to metals. Swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. Suing SDS: Technical Department. Wardlaw and acronyms: Tau transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) baccumulative and Toxic
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecte • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatii the International Ca IMDG: International GHS: Globally Harr EINECS: European CAS: Chemical Abs PBT: Persistent, Bi vPvB: very Persiste Met. Corr.1: Corros	a is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses prosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. suing SDS: Technical Department. Wardlaw and acronyms: au transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) paccumulative and Toxic nt and very Bioaccumulative ive to metals – Category 1
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecte • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatin the International Ca IMDG: International GHS: Globally Harr EINECS: European ELINCS: European CAS: Chemical Abs PBT: Persistent, Bin VPVB: very Persisten Met. Corr.1: Corros Acute Tox. 4: Acute	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Ses porrosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. Suing SDS: Technical Department. Wardlaw and acronyms: au transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) paccumulative and Toxic nt and very Bioaccumulative ve to metals – Category 1 toxicity – Category 4
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecter • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatii the International Ca IMDG: International GHS: Globally Harr EINECS: European ELINCS: European CAS: Chemical Abs PBT: Persistent, Bii vPvB: very Persiste Met. Corr.1: Corros Acute Tox. 4: Acute Skin Corr. 1A: Skin Skin Irrit. 2: Skin co	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. Fes prosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. suing SDS: Technical Department. Wardlaw and acronyms: au transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) paccumulative and Toxic nt and very Bioaccumulative ve to metals – Category 1 toxicity – Category 2
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecter • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatii the International Ca IMDG: International GHS: Globally Harr EINECS: European CAS: Chemical Abs PBT: Persistent, Bil vPvB: very Persiste Met. Corr. 1: Corros Acute Tox. 4: Acute Skin Corr. 1A: Skin Skin Irrit. 2: Skin co Eye Irrit. 2: Serious	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. res prosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. suing SDS: Technical Department. Wardlaw and acronyms: 'a u transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) paccumulative and Toxic nt and very Bioaccumulative ve to metals – Category 1 toxicity – Category 4 corrosion/irritation – Category 1A rrosion/irritation – Category 1A rosioni/irritation – Category 2
This information for any specific • Relevant phras H290 May be co H302 Harmful if H314 Causes s H319 Causes s H351 Suspecter • Department iss • Contact: Mr N • Abbreviations ADR: Accord relatii the International Ca IMDG: International GHS: Globally Harr EINECS: European ELINCS: European CAS: Chemical Abs PBT: Persistent, Bii vPvB: very Persiste Met. Corr.1: Corros Acute Tox. 4: Acute Skin Corr. 1A: Skin Skin Irrit. 2: Skin co	n is based on our present knowledge. However, this shall not constitute a guaran product features and shall not establish a legally valid contractual relationship. res prosive to metals. swallowed. evere skin burns and eye damage. erious eye irritation. d of causing cancer. suing SDS: Technical Department. Wardlaw and acronyms: 'a u transport international des marchandises dangereuses par route (European Agreement Concern rriage of Dangerous Goods by Road) Maritime Code for Dangerous Goods Air Transport Association nonised System of Classification and Labelling of Chemicals Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances tracts Service (division of the American Chemical Society) paccumulative and Toxic nt and very Bioaccumulative ve to metals – Category 1 toxicity – Category 4 corrosion/irritation – Category 1A rrosion/irritation – Category 1A rosioni/irritation – Category 2